

ISACON Karnataka-2017 Plat Form Presentation

Hall	Session	FP No	Name of Presenter	Institution	Title
Date:12/08/2017, Timings:9.00 am to 10.00 am Moderator: Dr.Arun Kumar,Dr.Narendra Babu					
A	1	1	Swetha Purohit	Subbaiah MC,Shivamogga	Effectiveness of dexmedetomidine as an adjuvant to 0.5% ropivacaine for axillary brachial plexus block for forearm surgeries
A	1	4	Geetanjali S Masamaddi	SIMS,Shivamogga	Attenuation of cardiovascular response to laryngoscopy and tracheal intubation by a bolus dose of inj. esmolol and placebo – a comparative study
A	1	5	Kamala GR	BMCH,Chitradurga	Efficacy of epidural steroids injections for treatment of chronic low backache patients
A	1	17	Madhumitha V Herady	JJMC,Davangere	A comparative study of intrathecal bupivacaine and bupivacaine with dexmedetomidine (5 micrograms) for major lower limb and lower abdominal surgeries; a randomized controlled study.
A	1	20	Sridhara	JJMC,Davangere	I-GEL and P-LMA in paediatrics – A clinical comparative study
A	1	27	Satish S Hadimani	JJMC,Davangere	“Does on Table Extubation In Tracheo-Oesophageal Fistula Babies Improve Survival Rates?” – A retrospective study
Date:12/08/2017, Timings:9.00 am to 10.00 am Moderator: Dr.Vasudeva Upadhyaya,Dr.Rajendra Kumar					

B	1	29	Amruta Patil	DY Patil MC,Pune	Effect of oral clonidine premedication on perioperative haemodynamic response and postoperative sedation for patients undergoing laparoscopic cholecystectomy
B	1	31	Swetha.P	AIMS,Bellur	A comparative clinical study between i.v. esmolol and i.v. lignocaine in attenuation of haemodynamic responses during extubation: a double blind prospective randomised comparative study
B	1	32	Bhavya	AIMS,Bellur	The Effects Of i.v Propofol & i.v Etomidate as induction agents on blood glucose in elective surgeries under General Anaesthesia –A prospective double blind Randomised controlled study.
B	1	34	Bhavana B.G	SDU MC,Kolar	A comparative study between SHAPE scoring and ASA grading for anesthesia risk stratification
B	1	39	Anita Sannakki	BLDEU,Vijayapura	Anaesthesia management for removal of foreign body in larynx of 2-year-old child
B	1	40	Vedashree Y	VIMS,Ballari	Efficacy of magnesium sulphate in attenuation of succinylcholine induced fasciculations – a dose finding study
Date:12/08/2017, Timings:10.00 am to 11.00 am Moderator: Dr.Safiya Sheikh,Dr.GL Raveendra					
A	2	42	Monaboti Giribhaskar	SMC,Tumkur	Comparative study of 0.5% bupivacaine and 0.5% bupivacaine with clonidine (50µg) for spinal anaesthesia

A	2	43	Shubha P	FMMC,Mangalore	Dexmedetomidine and buprenorphine as adjuvant to hyperbaric bupivacaine for spinal subarachnoid block – a comparative study
A	2	44	Varsha K S	ESIC SSH,Hyderabad	Dexmedetomidine, the ideal drug for attenuating hemodynamic response to laryngoscopy and endotracheal intubation
A	2	45	Swathi Pandurangi	JJMC,Davangere	Efficacy of different doses of Propofol on Tracheal Intubation
A	2	46	Priyash Verma	JJMC,Davangere	A comparative study of the efficacy of IV Clonidine versus IV Dexmedetomidine in attenuating the pressor response during laryngoscopy and endotracheal intubation” – A prospective randomized double blinded
A	2	47	Parmar Prashant R	JSS MC,Mysore	Baska Mask, a novel supraglottic airway device: an observational study
Date:12/08/2017,Timimngs:10.00 am to 11.00 am Moderator: Dr.Uma B R,Dr.Prasad CGS					
B	2	49	ANKITA HAJARE	KBNIMS, KALABURAGI	Comparison of midazolam with propofol & propofol alone in minor oral &maxillofacial surgical procedures
B	2	50	RAHUL S	BLDEU,Vijayapura	A comparative study of intrathecal hyperbaric bupivacaine with neostigmine and hyperbaric bupivacaine with normal saline for lower abdominal and lower limb surgeries
B	2	51	RAMYA K	BLDEU,Vijayapura	Comparative study of ketamine-midazolam versus ketamine- dexmedetomidine for monitored anaesthesia care in children

B	2	52	Chandana.M.H	MRMC, Kalaburagi	Effect of Dexmedetomidine on Hemodynamics in Patients undergoing Laparoscopic Surgeries under General Anesthesia – A Comparative Study
B	2	53	NOORUDHEEN KARUVAMBIL	SSMCRCH,Tumkur	Comparison of glottic exposure and haemodynamic response using Macintosh and Flexitip blades in adult
B	2	54	Srinivas M Deodurg	MRMC, Kalaburagi	A prospective randomized double-blind study comparing dexmedetomidine vs midazolam-fentanyl for tympanoplasty surgery under monitored anaesthesia care.
Date:12/08/2017, Timings:11.00 am to 12.00 pm Moderator: Dr.Madhuri Kurdi,Dr.Natraj M S					
A	3	3	Pavithra Y B	JJMC,Davangere	A randomized prospective study of comparison of IV Fentanyl vs. femoral nerve block to facilitate administration of subarachnoid block in sitting position for fracture
A	3	6	BHANUSHREE H	MVJ MCRI,Bengaluru	Validation and Refinement of the Adult Difficult Intravenous Access Score: A Clinical Prediction Rule for Identifying Adult with Difficult Intravenous Access
A	3	8	KAVYASHREE M	MVJ MCRI,Bengaluru	A comparative study of Etomidate and Ketamine hydrochloride for intravenous induction of General Anaesthesia
A	3	9	Ranjini. B. N	KVG MC,Sullia	Dexmedetomidine versus Lidocaine versus Ketamine to alleviate Propofol injection pain [PIP]: a prospective randomized double blind study

A	3	10	Vijaykumar	KBNIMS, KALABURAGI	A comparative study of rectal Tramadol versus Diclofenac in management of post caesarean section pain
A	3	12	Sujith.P. J	KVG MC,Sullia	Comparison of bolus ephedrine,mephentermine and phenylephrine for maintenance of arterial pressure during caesarian section, a double blind study.
Date:12/08/2017, Timings:11.00 am to 12.00 pm Moderator: Dr.Kodandaram,Dr.Padmanabha Kaimar					
B	3	13	Shobha Gangadharrao Potdar	MVJ MCRI,Bengaluru	Predicting score for a difficult subaracnoid block
B	3	14	Sateesh G C	MRMC, Kalaburagi	Ultrasound guided Supraclavicular Brachial Plexus Block with or without Dexmedetomidine as an adjuvant to 0.5% Levobupivacaine: A comparative study
B	3	15	Pavitra pushpa	KVJ MCH,Sullia	A randomized comparative study between selective walking spinal anesthesia between low dose bupivacaine with fentanyl and low dose bupivacaine with tramadol in outpatient anorectal surgeries
B	3	18	Partha Pratim Deka	YMC,Mangaluru	Preoperative intravenous magnesium sulphate for postoperative pain: a double blind, randomised, case control study.
B	3	19	Mohammad Shakeeb Yusufi Attar	NMC,Raichur	A comparative study of intrathecal dexmedetomidine and fentanyl as adjuvant to bupivacaine to provide prolonged postoperative analgesia.

B	3	22	Supriya D.Pawar	MVJ MCRH,Bengaluru	Effect of Tramadol on perioperative shivering in patients undergoing spinal anaesthesia.
12.00 PM TO 1.00 PM: KLE ORATION IN WTG MORTON HALL					
Date:12/08/2017, Timings:2.00 pm to 3.00 pm Moderator: Dr.Madhusudhan Upadhya ,Dr.Srinivas V Y					
A	4	23	Netravathi H	KVG MC,Sullia	A comparison of clonidine and dexmedetomidine as adjuvants to bupivacaine in wound infiltration for postoperative analgesia after abdominal hysterectomy: a prospective randomized study.
A	4	26	Upakara Selvin Rajan	AIMS,Bellur	Comparative study of bupivacaine with nalbuphine and bupivacaine with buprenorphine intrathecally for post-operative analgesia for lower limb and lower abdominal surgeries – prospective randomised study.
A	4	30	Mohammed Mohsin Ali	NMC,Raichur	A comparative clinical study of granisetron and dexamethasone for prevention of postoperative nausea and vomiting after elective surgeries under general anaesthesia
A	4	36	Anantharao Annamreddy	AIMS,BG Nagara	Comparative study of intravenous midazolam and intra venous dexmedetomidine as premedication on hemodynamic stability in patients undergoing middle ear surgeries – a randomized control study

A	4	38	Salman Mohamed Kutty C	NH,Bengaluru	Factors determining blood transfusion in patients undergoing off pump coronary artery bypass graft (OPCABG) surgery: a prospective cross-sectional study
A	4	41	Aluri Upendra	YMC,Mangaluru	A randomised prospective comparative study of post-operative pain relief for abdominal surgeries with intravenous fentanyl infusion and epidural ropivacaine - fentanyl infusion
Date:12/08/2017, Timings:2.00 pm to 3.00 pm Moderator: Dr.Akkamahadevi,Dr.Uday Ambi					
B	4	55	Vivek M P	JJMC,Davangere	A retrospective study of snake bite patients admitted in ICU
B	4	57	Prajna Anna Pinto	FMMC,Mangalore	Study of two different concentrations of Ketamine and Propofol (Ketofol) in Procedural Operations
B	4	58	Sony Mathew	FMMC,Mangalore	Comparison of attenuation of haemodynamic changes during laryngoscopy and endotracheal intubation with intravenous lidocaine, dexmedetomidine and clonidine.
B	4	61	Kavyashree Patil	BMCRI,Bengaluru	Effect of prolonged sitting position after spinal anaesthesia for caesarean delivery-a prospective single blinded randomised control study
B	4	62	Nikila D G	SDU MC,Kolar	A clinical comparative study of intrathecal 0.5% hyperbaric bupivacaine in combination with 50 µg and 75 µg of clonidine in lower abdominal surgeries under spinal anaesthesia -- a randomized control study

B	4	66	Prashanth C	KSHEMA,Managalore	Prospective Analytical Study of Intraoperative Blood Loss Assessment
Date:12/08/2017, Timings:3.00 pm to 4.00 pm Moderator: Dr.Srinivas Murthy A,Dr.Trivikrama Tantry					
A	5	67	Navyasri C	JNMC,Belagavi	Comparative study of Stylet angulation of 60° and 90° for the ease of endotracheal intubation with McGrath video-laryngoscope
A	5	70	Megha A	BMCRI,Bengaluru	A comparative study of intraperitoneal instillation of low concentration high volume and high concentration low volume bupivacaine in laproscopic cholecystectomy
A	5	71	Jaya chandra Tentu	JJMC,Davangere	A retrospective study on the clinical profile and outcome of patients on mechanical ventilation with intermediate syndrome(IMS) following Organophosphorus poisoning.
A	5	72	Rajesh Naidu B	SNMC,Bagalkot	Efficacy of ketamine versus magnesium sulphate gargle in prevention of post-operative sore throat in patients undergoing general anaesthesia with endotracheal intubation; a controlled randomized comparative trail
A	5	73	Rahul Baby Joseph	JJMC,Davangere	Use of NIV (BiPAP) versus facemask in COPD patients admitted to emergency ward with type ii respiratory failure – a prospective randomized controlled study

A	5	75	Ramyashree M H	BMCRI,Bengaluru	Efficacy of subhypnotic dose of midazolam for intraoperative nausea and vomiting during cesarean section under spinal anaesthesia, a prospective, open lable, placebo control study.
Date:12/08/2017, Timings:3.00 pm to 4.00 pm Moderator: Dr.M N Awati,Dr.Mallikarjun Panshetty					
B	5	48	Vishal	FMMC,Mangalore	A Comparative Study of Oral Pregabalin and Clonidine for Attenuation of Hemodynamic Responses to Laryngoscopy and Tracheal Intubation in patients undergoing laparoscopic
B	5	56	P G Raghavendra	MRMC, Kalaburagi	Comparitive study of epidural 0.75% ropivacaine with dexmedetomidine and 0.75% ropivacaine alone in lower limb surgeries and lower abdominal surgeries”
B	5	60	Shobha Yavagal	FMMC,Mangalore	Intraarticular infiltration of bupivacaine, dexmedetomidine,ketorolac and butrum for postoperative pain management in total knee replacement.-a randomised controlled study.
B	5	76	Suchetha S	SSIMSRC,Davanagere	Comparison of intubating conditions at 60 seconds with different doses of rocuronium with the timing principle: A randomised
B	5	77	Sawani Shiraz	KSHEMA,Managalore	Chewing gum to treat postoperative nausea and vomiting: a randomized controlled trial
B	5	78	Sawani Shiraz	YMC,Mangaluru	Comparative study to know the efficacy of oral clonidine as premedication in attenuation of haemodynamic responses to laryngoscopy in hypertensive patients

Date:12/08/2017, Timings:4.00 pm to 5.00 pm

Moderator: Dr.Anand Bangera, Dr.Vidya Patil A

A	6	21	Sara Jaison	KSHEMA,Managalore	Cephalic spread of block with head down tilt in spinal anaesthesia – a randomised controlled trial
A	6	24	Kethidi Karthika	MRMC, Kalaburagi	Effect of dexmedetomidine as adjuvant to ropivacaine in ultrasound guided supraclavicular brachial plexus block: A prospective, double-blinded and randomized
A	6	28	Vijetha N	Medical Trust hospital, Kochi	The effect of regional/topical anaesthetic techniques on emergence hypertension following intracranial surgery, a randomized prospective study.
A	6	35	Ajay Basarigidad	YMC,Mangaluru	Dexmedetomidine premedication as an adjuvant to Fentanyl in patients undergoing laparoscopic surgery under GA
A	6	38	Salman Mohammed Kutty C	NH,Bengaluru	Factors determining blood transfusion in patients undergoing off pump coronary artery bypass graft (OPCABG) surgery: a prospective cross-sectional study
A	6	63	Achyutha.J	AIMS, BG Nagara	A randomized clinical trial to compare the effectiveness between bupivacaine and bupivacaine-clonidine combination in ultrasound guided brachial plexus block by supraclavicular approach.

Date:12/08/2017, Timings:4.00 pm to 5.00 pm

Moderator: Moderator: Dr.Ravi R,

Dr.Chidanandaswamy

B	6	64	Hassaan Muhammed	JJMC,Davangere	Comparison of dexmedetomidine as an adjuvant to levobupivacaine versus levobupivacaine alone in supra clavicular brachial plexus block: A clinical study
B	6	79	Pramod D	YMC,Mangaluru	Comparative study between anatomical landmark versus ultrasound guided technique for internal jugular vein cannulation.
B	6	80	Praveen Kumar Katlinge	JJMC,Davangere	A prospective cohort study on anemia & blood transfusion in critically ill patients
B	6	81	Sameera	VIMS,Ballari	A comparative randomized double blind study of the effect of 0.5% dilution of propofol(MCT/LCT) with 0.5% dilution of propofol(LCT) on injection pain during induction of anaesthesia in paediatric patients
B	6	82	Venkatesh Kode	YMC,Mangaluru	Prospective comparative study of haemodynamic changes during insertion of laryngeal mask airway versus endotracheal tube in paediatric patients
B	6	88	Adarsh A Hegde	JSS MC,Mysore	Role of Propofol induced sleep in the diagnosis of Obstructive Sleep Apnea- A Clinical Study
Date:13/08/2017, Timings: 9.00 AM To 10.00 AM Moderator: Dr.Srinivas Kulkarni,Dr.Sudheesh K					
A	1	83	Seena Marene Solomon	FMMC,Mangalore	Comparison of intraoperative and postoperative outcome between intrathecal ropivacaine and ropivacaine with dexmedetomedine for lower limb surgeries- A prospective, randomized, double blind study

A	1	84	Jerry Jame Joy	VIMS,Ballari	Effect of intravenous magnesium sulphate in spinal block characteristics and postoperative analgesia in inguinal hernia surgeries
A	1	86	A Vinisha Reddy	JNMC,Belagavi	A Randomised clinical trial to compare the ease of ultra sound guided radial artery cannulation- short axis versus long axis, with traditional palpation method in adult patients
A	1	87	Paresh Nagwekar	SSIMSR,Davanagere	Comparison of ropivacaine 0.75% and bupivacaine 0.5% in peribulbar block for small incision cataract surgery-A prospective randomized controlled study
A	1	89	Prashanth Vadigeri	BLDEU,Vijayapura	Comprision of Dexmeditomidine –Propofol vs Fentanyl-Propofol for laryngeal mask airway insertion in elective surgeries
A	1	91	Mohammed Nizamuddeen B	RRMCH,Bengaluru	Efficacy of midazolam as an adjuvant along with local anaesthetic solution in brachial plexus block
Date:13/08/2017, Timimings: 10.00 AM To 11.30 AM Moderator:Dr.PM Chandrasekhar,Dr.Nazeer Ahmed					
A	2	92	Sushma Reddy	JNMC,Belagavi	A double blinded Randomized control study to compare efficacy of Ketamine as an adjuvant to local anaesthetics in popliteal nerve block for below knee surgeries
A	2	93	Sneha C Sheelvanth	DY Patil MC,Pune	Comparative study of post-operative analgesia with epidural butorphanol or tramadol in lower abdominal surgeries under spinal anaesthesia with 0.5% bupivacaine

A	2	94	Arun Kumar Halli	VIMS,Ballari	A comparative study of peritonsillar infiltration of levobupivacaine 0.25% and levobupivacaine 0.25% with dexmedetomidine 1 mcg/kg in children undergoing tonsillectomy for post-operative analgesia
A	2	95	Sphoorthy T M	BLDEU,Vijayapura	“A randomized, prospective study of effectiveness of analgesia with preemptive intraperitoneal instillation of Bupivacaine and instillation of Bupivacaine after the creation of pneumoperitoneum in laparoscopic cholecystectomies.”
A	2	96	Raghu T	BLDEU,Vijayapura	Comparison of spinal anaesthesia with clonidine as an adjuvant versus general anaesthesia for laparoscopic cholecystectomy- a prospective randomized study
A	2	99	Matam Sivakumar	SSMCRCH,Tumkur	Comparative study of 0.5% bupivacaine and 0.5% bupivacaine with clonidine (50µg) for spinal anaesthesia
A	2	100	Kavitha A R	JJMC,Davangere	ICU sedation: A comparison between dexmedetomidine and midazolam during mechanical ventilation for post-operative patients

